


# Licence for



**CENELEC ENEC Agreement Licence Ref. No. SE/0256-4J**

<b>Product:</b>	<b>Capacitor for radio interference suppression</b>
<b>Type designation:</b>	PCX2 339
<b>Test Report No.</b>	1313676STO-001
<b>Licence holder:</b>	Cowell Fashion Co., Ltd. Pilkor Electronics 270, Sinwon-ro, Youngtong-gu 443-823 Suwon-si, Gyeonggi-do REPUBLIC OF KOREA
<b>The product complies with the standard(s):</b>	EN 60384-14:2013
<b>Licence holder is authorized to use the mark with the following limitations:</b>	-
<b>Date of expiry:</b>	11 September 2019

**Additional information in Appendix**

<b>Certification Body</b>	Intertek Semko AB, Product Certification	<b>Place</b>	Kista - Stockholm
<b>Signed</b>	 Niclas Lood	<b>Date</b>	21 April 2015
<b>Internal reference:</b>	SUL		

This Licence is the result of testing a sample of the product submitted, in accordance with the provisions of the relevant specific standard. A copy of the Licence shall be filed in the place of manufacturing. The Licence has been established by a body which is a signatory to the ENEC Agreement ratified by CENELEC Marks Committee on 10 April 1992.

## APPENDIX

### CENELEC ENEC Agreement Licence Ref. No. SE/0256-4J

Test Report No. 1313676STO-001

---

#### Technical data

Type designation	PCX2 339
Rated Voltage	305, 310VAC
Class and sub-class	X2
Capacitance	0.001 - 15uF
Tolerance	±5% ±10% ±20%
Climatic category	55/105/21 or 56/B, 55/110/21 or 56/B
Trade mark	PILKOR
Additional information	Fulfils standard IEC 60384-14:2013

---

**Manufacturing site(s):** Cowell Fashion Co., Ltd. Pilkor Electronics  
270, Sinwon-ro, Youngtong-gu  
443-823 Suwon-si, Gyeonggi-do  
REPUBLIC OF KOREA

This certificate replaces previously issued ref. No. SE/0256-4I dated 11 November 2014.  
A new certificate has been issued on account of changed name of licence holder and manufacturing site.

21 April 2015



# PRODUCT CERTIFICATE

No.: CQC08001023138

## NAME AND ADDRESS OF THE APPLICANT

COWELL FASHION CO.,LTD  
(Woncheon-dong)270,Sinwon-ro, Yeongtong-gu Suwon-si, Gyeonggi-do, KOREA

## NAME AND ADDRESS OF THE MANUFACTURER

COWELL FASHION CO.,LTD  
(Woncheon-dong)270,Sinwon-ro, Yeongtong-gu Suwon-si, Gyeonggi-do, KOREA

## NAME AND ADDRESS OF THE FACTORY

COWELL FASHION CO.,LTD (V003152)  
(Woncheon-dong)270,Sinwon-ro, Yeongtong-gu Suwon-si, Gyeonggi-do, KOREA

## NAME, MODEL AND SPECIFICATION

Capacitor for radio interference suppression

PCX2 339: 305VAC 1nF-10μF Series X2 55/110/21/C

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14472-1998

## CERTIFICATION MODEL

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned products have met the requirements of certification rules  
CNCA-V01-010:2003.

Date of issue: Jul.09,2015

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing  
certification body until the expiry date.

Date of original certification: Apr.28,2008

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

President:

  
Wang Kejiao



## CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China  
<http://www.cqc.com.cn>

C 0065012

**FOWX2.E165646****Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment**[Page Bottom](#)**Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment**[See General Information for Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment](#)**PILKOR ELECTRONICS CO LTD**

E165646

381 WONCHUN-DONG

YOUNGTONG-KU

SUWON CITY, KYUNGKI-DO 442-823 REPUBLIC OF KOREA

**Fixed Capacitors**

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
PCX2 347 and 347	X2	310 ac	0.0047μF~2.2μF M(+/-20%)	—	-55	+110
PCX2 339, 339, PCX2 337, 337	X2	305 ac	0.001μF~10.0μF M(+/-20%)	—	-55	+110
PCX2 335M, PCX2 335, 335M, 335	X2	305 ac	0.001μF~2.2μF M(+/-20%)	—	-55	+110
PCY2 130, 130	Y2	300 ac	0.001μF ~ 1μF M(+/-20%)	—	-55	+110
PCX1 331 or 331	X1	440 ac	0.01μF~1μF M(+/-20%)	—	-55	+110
PCRC 420 or 420	X2	250 ac	0.033μF~0.22μF (K: +/-10%, M: +/-20%)	22, 47 or 120	-40	+85

**PILKOR**

Marking: Company name or trademark and type designation.

[Last Updated](#) on 2013-12-27[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".



**FOWX8.E165646****Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment Certified for Canada**[Page Bottom](#)**Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment Certified for Canada**See General Information for Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment Certified for Canada**PILKOR ELECTRONICS CO LTD**

E165646

381 WONCHUN-DONG

YOUNGTONG-KU

SUWON CITY, KYUNGKI-DO 442-823 REPUBLIC OF KOREA

**Fixed Capacitors**

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance ( $\mu$ F) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp ( $^{\circ}$ C)	Upper Temp ( $^{\circ}$ C)
PCX2 347 and 347	X2	310 ac	0.0047 $\mu$ F~2.2 $\mu$ F M(+/-20%)	—	-55	+110
PCX2 339, 339, PCX2 337, 337	X2	305 ac	0.001 $\mu$ F~10.0 $\mu$ F M(+/-20%)	—	-55	+110
PCX2 335M, PCX2 335, 335M, 335	X2	305 ac	0.001 $\mu$ F~2.2 $\mu$ F M(+/-20%)	—	-55	+110
PCY2 130, 130	Y2	300 ac	0.001 $\mu$ F~1 $\mu$ F M(+/-20%)	—	-55	+110
PCX1 331 or 331	X1	440 ac	0.01 $\mu$ F~1 $\mu$ F M(+/-20%)	—	-55	+110
PCRC 420 or 420	X2	250 ac	0.033 $\mu$ F~0.22 $\mu$ F (K: +/-10%, M: +/-20%)	22, 47 or 120	-40	+85

**PILKOR**

Marking: Company name or trademark and type designation and Recognized Component Mark for Canada,



Last Updated on 2013-12-27

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".