



EU DECLARATION OF CONFORMITY

TOP ELECTRONIC COMPONENTS S.A.

IMPORTER:

66 Alkminis Str. 11853 Athens Greece

Tel.: +30-210-3428690 / 693 Fax.: +30-210-342869

E-mail: info@topelcom.gr

We hereby declare that the following described products comply with the appropriate basic safety and health requirements of the Low Voltage Directive 2014/35 EU Article 1. In case of the product not agreed by us this declaration will lose its validity.

PRODUCTS: NYM CABLES

APPLICABLE DIRECTIVES :2014/35/EU LOW VOLTAGE DIRECTIVE , ELECTRICAL EQUIPMENT DESIGNED FOR USE WITHIN CERTAIN VOLTAGE LIMITS

STANDARDS: VDE 250-204

DECLARATION of PERFORMANCE

Number : BR-109

1. Unique identification code of the product:

NYM

Diameter: From : 8.8 To: 25.9

Number of conductors: 2 - 5

Conductor section (mm²): 1.5 - 35

2. Intended use of the product :

It is used as surface mounted or fl ush mounted in stationary plants, humid and closed spaces, factories, workshops and any kind of workplaces.

3. IMPORTER:

TOP ELECTRONIC COMPONENTS S.A.
66 Alkminis Str. 11853 Athens Greece
Tel.: +30-210-3428690 / 693 Fax.: +30-210-342869
E-mail: info@topelcom.gr

4. System of assessment and verification of constancy of performance of the product

System 3

The range of cables described in 1&2 belongs to Euroclass Eca
Euroclass Eca equals to System 3

5. Notified Body:

NR 2659
Test Report Number: ISSep - Nr 2791/2017

6. Declared Performance

Essential characteristics	Performance	Harmonized Technical Specification
Reaction to fire	Eca	EN 50575:2014/A1:2016
Dangerous substances	None	

7. The performance of the product defined is suitable for the performance declared in Article 6.

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

DECLARATION of PERFORMANCE

Number : DOP-109-06/17

1. Unique identification code of the product:

NYM

Diameter: From : 8.8 To: 25.9

Number of conductors: 2 - 5

Conductor section (mm²): 1.5 - 35

2. Intended use of the product :

It is used as surface mounted or fl ush mounted in stationary plants, humid and closed spaces, factories, workshops and any kind of workplaces.

3.

IMPORTER: **TOP ELECTRONIC COMPONENTS S.A.**
66 Alkminis Str. 11853 Athens Greece
Tel.: +30-210-3428690 / 693 Fax.: +30-210-342869
E-mail: info@topelcom.gr

4. System of assessment and verification of constancy of performance of the product

System 3

The range of cables described in 1&2 belongs to Euroclass Eca
Euroclass Eca equals to System 3

5. Notified Body: **NR 2659**
Test Report Number: ISSep - Nr 2791/2017

6. Declared Performance

Essential characteristics	Performance	Harmonized Technical Specification
Reaction to fire	Eca	EN 50575:2014/A1:2016
Dangerous substances	None	

7. The performance of the product defined is suitable for the performance declared in Article 6.

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.